



VHM

**VAN HORN, METZ & COMPANY, INC.**

201 East Elm Street ~ Conshohocken, PA 19428

Toll Free 800-523-0424 ~ Fax 610-828-0936

www.vanhornmetz.com ~ info@vanhornmetz.com



Specializing in Raw Materials for Industry



**EXPERIENCE, TECHNOLOGY, SERVICE**

# Pigment For Coating

Be Professional, Be Supercolor!



上海秀乐化工科技有限公司  
Shanghai Supercolor Chemical Technology Co.,Ltd



## *Be Professional, Be Supercolor!*

- Shanghai Supercolor Chemical Technology Co.,Ltd was incorporated by specialists who have long term working experience in pigment and pigment-relative industries.
- Supercolor is responsible for selecting qualified pigment from leading pigment manufacturers who are reliable and trustworthy to supply quality pigment in consistence for long time.
- Our long term working experience, abundant pigment knowledge and qualified facilities for various application test guarantee that Supercolor could source those top-quality level pigment locally in China and QC each batch based on customers' specific method before delivery to save customers'QC job.
- What we offer is not only products, but also technical advice and after-sale-service.
- Supainto series pigment---wide range of commonly used pigment for coating industry.

## **因为专业，所以出色！**

- 上海秀乐化工科技有限公司是由有着颜料及颜料相关行业长期工作经验的专业人士组建成立的。
- 致力于挑选诚信的供应商及质量持续稳定的产品。
- 凭借业内丰富的知识及经验的积累，加上秀乐完备的检测装备，秀乐能提供您国内最优质的产品；依据客户要求的方法，对每一批次进行质量控制。
- 秀乐能带给您的不仅仅是优质的产品，还有完善的售后服务。
- 秀乐涂料系列产品一定能满足您在该行业上的需求。

## Pigments from SUPERCOLOR (秀乐产品)

On the following pages we give a general overview of our organic colorants for the paint and surface coatings industry indicating their possible uses in the main fields of application.

在下面我们将列出涂料和表面涂膜工业用的有机颜料，同时列出它们在主要应用领域的使用。

The symbols mean (符号代表): ■ = highly recommended (强烈推荐)

● = recommended (推荐)

○ = limit suitability (选择使用)

We would however point out that these recommendations are general guidelines that intended to make it easier to select suitable products from our range of colorants.

需要指出，这些推荐用途仅作为可以更有效地从我们的产品目录中选择合适品种的指南。

### Notes on diarylide pigments (双偶氮颜料的使用注意)

As we all know, for some considerable time that diarylide pigments can be decomposed when they are processed in polymers at temperatures above 200 °C.

众所周知，在高聚物中，双偶氮颜料在温度超过200 °C时会分解并易产生PCB (多氯联苯胺)。

























Please note: the following pigments supplied by SUPERCOLOR are diarylide pigments

请注意，上海秀乐公司提供的下列颜料为双偶氮系颜料：

Color Index No.	颜料索引号	Product Name	产品名称	Supercolor Product	秀乐产品
PY.55		Benzidine Yellow 2RN	联苯胺黄2RN	Supainto Yellow SC-2RN	
PY.83		Fast Yellow HR	永固黄HR	Supainto Yellow SC-HR	
PY.83		Fast Yellow HR02	永固黄HR02	Supainto Yellow SC-HR02	
PY.83		Fast Yellow HR70	永固黄HR70	Supainto Yellow SC-HR70	
PO.34		Fast Orange RL	永固橙RL	Supainto Orange SC-RL	
PO.34		Fast Orange RL70	永固橙RL70	Supainto Orange SC-RL70	



①

① 颜料色卡 Color of Pigment		颜料索引号 Color Index No.	产品名称 Product Name	秀乐产品 名称 SC Product	产品主要特征 Main Properties
原色 Full Shade	冲淡色 Tint				
		C.I. P.Y.1	耐晒黄G Fast Yellow G	Supainto Yellow SC-G	Semi-transparent Good fastness
		C.I. P.Y.3	耐晒黄10G-H Fast Yellow 10G-H	Supainto Yellow SC-10G-H	Greenish Transparent Good fastness
		C.I. P.Y.55	联苯胺黄 2RN Benzidine Yellow 2RN	Supainto Yellow SC-2RN	Semi-transparent Universal type
		C.I. P.Y.65	永固黄 RN Fast Yellow RN	Supainto Yellow SC-RN	Reddish Opaque For traffic paint
		C.I. P.Y.74	耐晒黄 2GX70 Fast Yellow 2GX70	Supainto Yellow SC-2GX70	Greenish Opaque Good fastness
		C.I. P.Y.74	耐晒黄 2GX70S Fast Yellow 2GX70S	Supainto Yellow SC-2GX70S	Greenish Opaque Good fastness
		C.I. P.Y.74	耐晒黄 5GX-TR Fast Yellow 5GX-TR	Supainto Yellow SC-5GX-TR	Reddish Transparent
		C.I. P.Y.83	永固黄 HR Fast Yellow HR	Supainto Yellow SC-HR	Transparent Strong reddish Good fastness
		C.I. P.Y.83	永固黄 HR02 Fast Yellow HR02	Supainto Yellow SC-HR02	Semi-transparent Reddish Good fastness
		C.I. P.Y.83	永固黄 HR70 Fast Yellow HR70	Supainto Yellow SC-HR70	Opaque Reddish Good fastness
		C.I. P.Y.97	永固黄 FGL Fast Yellow FGL	Supainto Yellow SC-FGL	Semi-transparent Medium shade Good fastness
		C.I. P.Y.110	异吲哚啉酮黄 2RLT Isoindolinone Yellow 2RLT	Supainto Yellow SC-2RT	Transparent Good fastness



②

颜料色卡  
Color of Pigment

原色  
Full Shade


冲淡色  
Tint

颜料索引号  
Color Index  
No.


产品名称  
Product  
Name

秀乐产品  
名称  
SC Product


产品主要特征  
Main  
Properties



C.I. P.Y.110  
异引哞啉酮黄 3RLTN  
Isoindolinone Yellow 3RLTN  
Supainto Yellow SC-3RN  
Opaque Reddish  
Good fastness



C.I. P.Y.138  
喹啉酮黄 H960  
Fast Yellow H960  
Supainto Yellow SC-H960  
Opaque  
Good fastness



C.I. P.Y.138  
喹啉酮黄 H962  
Fast Yellow H962  
Supainto Yellow SC-H962  
Opaque Yellowish than H960  
Good fastness



C.I. P.Y.139  
异引哞啉酮黄 2R  
Isoindolinone Yellow 2R  
Supigmento Yellow SC-H2R  
Semi-transparent Reddish  
Good fastness



C.I. P.Y.139  
异引哞啉酮黄 3R  
Isoindolinone Yellow 3R  
Supainto Yellow SC-L3R  
Opaque Very reddish  
Excellent fastness



C.I. P.Y.150  
耐晒黄 4G  
Fast Yellow 4G  
Supainto Yellow SC-4G  
Transparent Greenish  
Excellent fastness



C.I. P.Y.151  
苯并咪唑酮黄 H4G  
Benzimidazolone Yellow H4G  
Supainto Yellow SC-H4G  
Semi-transparent Greenish  
Good fastness



C.I. P.Y.154  
苯并咪唑酮黄 H3G  
Benzimidazolone Yellow H3G  
Supainto Yellow SC-H3G  
Semi-transparent Medium shade  
Good fastness



C.I. P.Y.155  
永固黄 4GW  
Fast Yellow 4GW  
Supainto Yellow SC-4GW  
Greenish High strength  
Good fastness



C.I. P.O.5  
永固橙 RN  
Fast Orange RN  
Supainto Orange SC-RN  
Yellowish Dispersibility



C.I. P.O.16  
联苯胺橙 BRN  
Benzidine Orange BRN  
Supigmento Orange SC-BRN  
Semi-transparent Good fastness



C.I. P.O.34  
永固橙 RL  
Fast Orange RL  
Supainto Orange SC-RL  
Semi-transparent Good fastness



























③

颜料色卡 Color of Pigment		颜料索引号 Color Index No.	产品名称 Product Name	秀乐产品 名称 SC Product	产品主要特征 Main Properties
原色 Full Shade	冲淡色 Tint				
		C.I. P.O.34	永固橙 RL70 Fast Orange RL70	Supainto Orange SC-RL70	Opaque High strength Good fastness
		C.I. P.O.36	永固橙 HL70 Fast Orange HL70	Supainto Orange SC-HL70	Reddish Opaque Good fastness
		C.I. P.O.43	花酮橙 GR Perinone Orange GR	Supainto Orange SC-GR	Strong & Brillant orange Superior fastness
		C.I. P.O.73	艳佳丽鲜橙 RA DPP Orange RA	Supainto Orange SC-RA	High saturated DPP orange & Good durability
		C.I. P.R.48:3	耐晒大红 BBS Fast Red BBS	Supigmento Red SC-BBS	Semi-transparent Special for powder coating
		C.I. P.R.48:4	耐晒大红 BBM Fast Red BBM	Supainto Red SC-BBM	Semi-transparent High strength
		C.I. P.R.57:1	立索尔洋红 Rubine	Supainto Red SC-BK-W	Semi-transparent Bluish
		C.I. P.R.63:1	立索尔紫红 2R Fast Bordeaux 2R	Supigmento Red SC-2R	Semi-transparent Bluish Universal type
		C.I. P.R.112	永固红 FGR Naphthol Red FGR	Supainto Red SC-FGR	Semi-transparent Bluish Good fastness
		C.I. P.R.112	永固红 FGR70 Naphthol Red FGR70	Supainto Red SC-FGR70	Opaque Good fastness
		C.I. P.R.122	喹吡啶酮洋红 EC Quindo Magenta EC	Supainto Red SC-EC	Semi-transparent High glossy Good fastness
		C.I. P.R.122	喹吡啶酮洋红 E12 Quindo Magenta E12	Supigmento Red SC-E12	Semi-opaque Yellowish Good fastness



④

颜料色卡 Color of Pigment		颜料索引号 Color Index No.	产品名称 Product Name	秀乐产品 名称 SC Product	产品主要特征 Main Properties
原色 Full Shade	冲淡色 Tint				
		C.I. P.R.149	花枣红 B Perylene Bordeaux B	Supigmento Red SC-R	Semi-transparent Bluish Good fastness
		C.I. P.R.168	还原艳橙 RK Vat Brilliant Orange RK	Supainto Orange SC-RK	Semi-transparent Superior light fastness
		C.I. P.R.170	永固红 F2RK Naphthol Red F2RK	Supigmento Red SC-F2RK	Opaque Yellowish Good fastness
		C.I. P.R.170	永固红 F3RK Naphthol Red F3RK	Supigmento Red SC-F3RK	Semi-transparent Yellowish Good fastness
		C.I. P.R.170	永固红 F3RK02 Naphthol Red F3RK02	Supigmento Red SC-F3RK02	Opaque More yellowish & Weaker than SC-F3RK
		C.I. P.R.170	永固红 F5RK Naphthol Red F5RK	Supigmento Red SC-F5RK	Opaque Bluish Good fastness
		C.I. P.R.177	坚固红A3B Fast Red A3B	Supigmento Red SC-A3B	Pure red & Superior fastness
		C.I. P.R.179	花枣红 Perylene Maroon	Supigmento Red SC-L7985	Semi-transparent More yellowish than L7920
		C.I. P.R.179	花枣红 Perylene Maroon	Supigmento Red SC-L7920	Semi-transparent Dark red shade
		C.I. P.R.185	苯并咪唑酮洋红 HF4C Benzimidazolone Carmine HF4C	Supainto Red SC-HF4C	Semi-transparent Bluish
		C.I. P.R.188	永固红HF3S70 Naphthol Red HF3S70	Supainto Red SC-HF3S70	Yellowish Opaque Good fastness
		C.I. P.R.202	喹吡啶酮品红 Quindo Red	Supigmento Red SC-P01	Tansparent Bluish Good fastness



5

颜料色卡 Color of Pigment		颜料索引号 Color Index No.	产品名称 Product Name	秀乐产品 名称 SC Product	产品主要特征 Main Properties
原色 Full Shade	冲淡色 Tint				
		C.I. P.R.202	喹吡啶酮品红 Quindo Red	Supigmento Red SC-P02	Opaque Yellowish Good fastness
		C.I. P.R.254	DPP红254 DPP Red 254	Supainto Red SC-40	Saturated red with opaque Excellent fastness
		C.I. P.R.255	DPP红255 DPP Red 255	Supigmento Red SC-EK	Semi-transparent Medium Shade
		C.I. P.B.15:2	酞菁蓝 BTN Fast Blue BTN	Supainto Blue SC-BNF24	Reddish Semi-transparent
		C.I. P.B.15:3	酞菁蓝 BGS Fast Blue BGS	Supainto Blue SC-BGS31	Greenish High heat resistance
		C.I. P.B.15:4	酞菁蓝 BGN Fast Blue BGN	Supainto Blue SC-BNCNF	Semi-transparent High strength High gloss
		C.I. P.B.60	蒽醌蓝 A3R Indanthrone Blue A3R	Supainto Blue SC-A3R	Reddish Good fastness
		C.I. P.BR.25	苯并咪唑酮棕 HFR Benzimidazolone Brown HFR	Supainto Brown SC-HFR	Transparent Dark brown shade
		C.I. P.V.19	喹吡啶酮紫 RP Quindo Violet RP	Supigmento Violet SC-RP	Semi-transparent Bluish BETA type
		C.I. P.V.19	喹吡啶酮紫 EB Quindo Violet EB	Supigmento Violet SC-EB	Semi-transparent Yellowish GAMMA type
		C.I. P.V.19	喹吡啶酮紫 E5B02 Quindo Violet E5B02	Supigmento Violet SC-E5B02	Transparent Yellowish GAMMA type
		C.I. P.V.23	咔唑紫 RL Carbazole Violet RL	Supigmento Violet SC-RL	Semi-transparent High strength Good fastness





# Pigment FOR Coating

Be Professional, Be Supercolor!

## *Please note:*

This information is based on our present state of knowledge and experience, it's intended to provide general notes on our products and their uses. It should not therefore be construed as guaranteeing specific properties of the products described or their suitability for a particular application. All the data is based on our own inspection equipment and test. For the further technical information, please ask for our detailed technical data sheet.

## **请注意：**

这份资料是基于我们现在的知识程度和经验编写的，旨在大概介绍我们的产品及其大致使用，不应被认作为对描述产品的专门性能或适用于某一专门领域的保证。资料上的数据都是基于我们的检测设备及自行检测的基础上得到的。如果您需要更详细的信息，欢迎索要技术数据。



*Pigment Specialist*

[WWW.SUPERCOLOR.CN](http://WWW.SUPERCOLOR.CN)

### **上海秀乐化工科技有限公司**

地址：上海市松江工业区（新桥）新飞路  
1500弄科技创业中心2号

电话：+86-21-6102 3838, 6760 1408

传真：+86-21-5102 6050, 6760 0928

邮箱：[supercolor@supercolor.cn](mailto:supercolor@supercolor.cn)  
[brightzh@supercolor.cn](mailto:brightzh@supercolor.cn)

### **Shanghai Supercolor Chemical Technology Co.Ltd**

Add: Bldg 2, No.1500 Xinfei Rd., Songjiang  
Industrial Zone, Shanghai, China 201611

Tel: +86-21-6102 3838, 6760 1408

Fax: +86-21-5102 6050, 6760 0928

E-mail: [supercolor@supercolor.cn](mailto:supercolor@supercolor.cn)  
[brightzh@supercolor.cn](mailto:brightzh@supercolor.cn)